

Application Note AN-3001 IDEAA® Cabinet Split-lid Hand-holes


The AFL IDEAA Exterior Distribution and Cross-Connect cabinets can be mounted onto a variety of different surfaces. This application note focuses on split-lid hand-holes that are configured in such a way to accommodate the IDEAA cabinet. This document provides information on:

- Bolt hole mounting patterns of the cabinet
- Currently available split-lid hand-holes that are outfitted to accommodate the IDEAA cabinet

IDEAA Cabinet Bolt Hole Mounting Patterns

The underside of the cabinet possesses a collection of bolt holes that can be utilized for mounting purposes. Provided below is a drawing of the underside of the cabinet in addition to the applicable mounting hole dimensions:

OPTION 1	16" x 13.5" – 0.5" diameter bolts (included with cabinet)
OPTION 2	12" x 13.5" – 0.5" diameter bolts (included with cabinet)
SECONDARY ALTERNATIVE OPTION	16" x 16.5" – 0.375" diameter bolts




Application Note AN-3001 IDEAA® Cabinet Split-lid Hand-holes (cont.)

Split-lid Hand-hole Options

Listed below are a few split-lid hand-hole options that are currently available to accommodate the IDEAA cabinet:


OPTION 1IDE	
AFL NO.	FD000523
QUAZITE PART NO.	PG3048Z536
QUAZITE CONTACT INFORMATION	770-887-5536



Application Note AN-3001 IDEAA® Cabinet Split-lid Hand-holes (cont.)

Split-lid Hand-hole Options (cont.)





OPTION 2	
AFL NO.	FD000524
QUAZITE PART NO.	PG3660Z582
QUAZITE CONTACT INFORMATION	770-887-5536





Application Note AN-3001 IDEAA® Cabinet Split-lid Hand-holes (cont.)

Split-lid Hand-hole Options (cont.)

OPTION 3	
AFL NO.	FD000525
CHANNELL PART NO.	SGLB2436170001008
CHANNELL CONTACT INFORMATION	951-296-2322



COVER TYPE: SPLIT
THERMOPLASTIC
WITH PLUG
LENGTH: 36"
WIDTH: 24"
COLOR: GREEN
IDENTIFICATION: T
SECURITY: L-BOLT



CRITICAL DIMENSIONS